



*Colonel Logan*

# ORNAMENTAL IRON

Columns • Railing • Ornaments • Accessories

PRICE LIST — BULLETIN 17




*Standard sizes save you up to 1/3 over custom-styled installations*

A.I.A.  
FILE  
No. 15



*The Quality Line . . .*



*Colonel Logan* STANDARD SIZE

## ORNAMENTAL IRON

*The low cost way to add a touch  
of gracious charm to your home*



© Logan Co. 1966



Traditionally, the rich beauty of Ornamental iron is a mark of gracious, leisurely living. Centuries of fine craftsmanship have gone into its development, and original hand-made designs were luxurious both in appearance and cost. Today, Colonel Logan Ornamental Iron retains the *look* of hand-crafted luxury, but is low in cost because it's STANDARD SIZE . . . produced from original designs by Colonel Logan's fast, modern methods.

Colonel Logan Ornamental Iron is available in a wide choice of easy-to-install standard size columns, railings and matching accessories. Beautiful on new homes in every price range, every type of architecture, Colonel Logan Ornamental Iron is a low cost way to add distinction to home improvement plans as well.

*Your dealer will be pleased to show you the complete Colonel Logan line. He can help you select a design to fit your plans perfectly. Visit your dealer. Ask for ideas and estimates without obligation.*

All Wrought Iron Columns and Accessories, Porch and Step Railing (both Standard and Commercial) are available at small extra cost in zinc plating as extra protection against extreme weather and salt spray conditions. Ask your dealer.

HOME OF  
*Colonel Logan* ORNAMENTAL IRON

Since 1876  
LOGAN CO.  
LOUISVILLE



### CHECK THESE FAMOUS *Colonel Logan* QUALITY FEATURES

- PHOSPHATE CLEANING of all stock items forms a tough paint bond for lasting adhesion; resists corrosion even if surface is scratched.
- LOGAN MINIARC WELD on both columns and railings is smooth, clean, slag-free. No weld residue to chip off to mar finish paint or expose metal.
- Columns have adjustable base and standard fittings to simplify installation.
- Fully tested to exceed all load bearing requirements.
- Exclusive top attachment plate on all 9" and 12" porch columns makes installation easier, more secure.
- All Logan cast iron designs are double faced for deluxe appearance.
- All scroll designs in columns both wrought and cast, are carefully centered between the vertical supports — a mark of fine craftsmanship.





# Colonel Logan LOW COST

## ORNAMENTAL IRON

### AWNING COLUMNS

#### NOTE:

Columns A-6 and A-84 are special awning columns with  $\frac{3}{4}$ " square vertical supports

Column A-1 has full 1" square vertical supports.

### Standard Sizes in WROUGHT IRON

\*Load bearing capacities of all columns have a safety factor of 2

• Available zinc plated for protection against salt spray.




SMALL "S"		SCROLL DIAMOND		LARGE "S"		Name Type Number	Width Max. Height Min. Height Weight * Load Bearing Capacity Price	LARGE "S"		DOUBLE SCROLL		TAPERED TWIST		MODERN SCROLL		CANE SCROLL	
Single	Corner	Single	Corner	Single	Corner			Single	Corner	Single	Corner	Single	Corner	Single	Corner	Single	Corner
A-6	A-6C	A-84F	A-84C	A-1	A-1C			CP-1	CP-1C	96-N	96-NC	55-T	55-TC	25-N	25-NC	53-N	53-NC
5 1/2"	5 1/2"	8 1/2"	8 1/2"	6"	6"			6"	6"	9"	9"	9"	9"	9"	9"	9"	9"
8'0"	8'0"	8'0"	8'0"	8'0"	8'0"			9'6"	9'6"	9'6"	9'6"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
6'6"	6'6"	6'6"	6'6"	5'5 1/4"	5'5 1/4"			7'2"	7'2"	8'0"	8'0"	6'11"	6'11"	6'10"	6'10"	6'10"	6'10"
7 lbs.	12 lbs.	10 lbs.	16 lbs.	18 lbs.	28 lbs.			22 lbs.	38 lbs.	25 lbs.	43 lbs.	16 lbs.	24 lbs.	16 lbs.	25 lbs.	18 lbs.	32 lbs.
350 lbs.	2150 lbs.	350 lbs.	2150 lbs.	2000 lbs.	6540 lbs.			2000 lbs.	8000 lbs.	1650 lbs.	4650 lbs.	1900 lbs.	3100 lbs.	1800 lbs.	6540 lbs.	1800 lbs.	6540 lbs.
\$6.55	\$10.80	\$7.65	\$12.80	\$11.25	\$18.15			\$13.90	\$23.35	\$15.95	\$26.80	\$9.75	\$17.05	\$9.25	\$16.30	\$9.85	\$17.20

Primed in one coat light blue-gray for decorator color — need only one coat of finish paint.

### BASE PLATES SIMPLIFY INSTALLATION OF COLUMNS AND RAILINGS

**No. 20 Base Plate**  
For surface installation of 1" tubing columns. Furnished free with each column. Wt. 2 oz. Extra Base Plates. \$0.20 ea.




**No. 60 Base Plate**  
For surface installation of 1" tubing columns. Ideal for wind-lift areas. Anchors column to floor. Wt. 5 oz. \$0.45 ea.

**CS-4 Slip Shoe**  
New CS-4 Slip Shoe is used to give a more finished decorative appearance to the #20 Base Plate. Wt. 12 oz. \$0.60 ea.



**No. BP-1 Base Plate**  
For surface installation of 1" tubing columns. Designed for wind-lift areas. Add eye-appeal and rigidity to installation. Wt. 13 oz. \$1.10 ea.

**No. 75 Base Plate**  
For surface installation of A-6 and A-84 awning columns. Designed for wind-lift areas. Included in price of column. Wt. 1 oz. Extra base plates. \$0.20 ea.




**No. CS-2 Slip Shoe**  
A cast iron cover shoe for 1" tubing columns. Can be used for added decoration when posts set in concrete. Wt. 7 oz. \$0.40 ea.

### INSTALLATION DETAILS


#### TOP DETAIL



#### BASE DETAILS




14" adjustable base may be sawed off with a hacksaw for perfect fit



No. 20 Base Plate furnished free except A-6 and A-84F

No. 60 Base Plate purchased separately

BP-1 Base Plate purchased separately. For surface installations.



CS-2 Slip Shoe for posts set in concrete





# Colonel Logan STANDARD SIZE ORNAMENTAL IRON

Standard Sizes  
Save you  
up to  $\frac{1}{3}$  over  
custom-styled  
installations

All scrolls  
carefully  
centered between  
vertical supports  
for finished  
appearance



Name	HALF MOON		DOUBLE SCROLL		DIAGONAL SCROLL		CRISS CROSS		MEDALLION		DOUBLE HEART		SCROLL & LEAF	
Type	Single	Corner	Single	Corner	Single	Corner	Single	Corner	Single	Corner	Single	Corner	Single	Corner
Number	23-N	23-NC	49-N	49-NC	47-N	47-NC	54-N	54-NC	46-N	46-NC	48-N	48-NC	41-N	41-NC
Width	9"	9"	9"	9"	9"	9"	9"	9"	9"	9"	9"	9"	9"	9"
Max. Height	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Min. Height	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"
Weight	20 lbs.	32 lbs.	21 lbs.	38 lbs.	21 lbs.	34 lbs.	22 lbs.	37 lbs.	21 lbs.	36 lbs.	23 lbs.	40 lbs.	22 lbs.	38 lbs.
*Load Bearing Capacity	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.
Price	\$11.65	\$19.45	\$12.55	\$21.95	\$13.05	\$22.90	\$14.55	\$25.05	\$14.85	\$25.35	\$15.25	\$26.15	\$16.05	\$27.70


NOTE: Weights shown on all items are actual shipping weights.

## SPECIFICATIONS-WROUGHT IRON

Strong, all-welded construction. Columns are standard 9" and 12" widths except A-1, A-6, CP-1 and A-84 (page 3). All columns are standard 8'-0" height except special height CP-1 and 96-N recommended for carport installation (page 3). All columns on page 3 have height adjustment factors as shown; all other Colonel Logan Columns have a standard 14" adjustable base.

Posts on all 6", 9" and 12" width columns are 1" sq. heavy steel tubing.  $5\frac{1}{2}$ " and  $8\frac{1}{2}$ " avining columns have  $\frac{3}{4}$ " sq. tubing. WROUGHT IRON SCROLL DESIGNS in columns on pages 3, 4 and 5: A-6 has  $\frac{1}{4}$ " round iron; 41-N and 41-J columns have  $\frac{3}{8}$ " round iron; 9" widths, 3/16" x  $\frac{3}{8}$ " flat, except 43-N and 54-N which are  $\frac{3}{8}$ " square iron and 25-N with  $\frac{1}{8}$ " x  $\frac{1}{2}$ " flat scroll material,  $8\frac{1}{2}$ " width,  $\frac{1}{2}$ " x  $\frac{1}{8}$ " flat. 12" widths, 3/16" x 1" flat. (41-N leaf, 46-N and 23-N medallion, and 54-N button are shaped and formed from flat material.)

Special height columns available on request. See page 8.





# COLUMNS AND ACCESSORIES IN LOW COST WROUGHT IRON



\*Load bearing capacities of all columns have a safety factor of 2



- Base of column adjustable for ease of installation and perfect fit
- Phosphate cleaning plus LOGAN MINIARC WELD assure an extra tough surface for lasting resistance to corrosion
- Used by leading builders on homes in every price range
- Available zinc plated for protection against salt spray.

MODERN		Name	DIAGONAL SCROLL		MEDALLION		DOUBLE SCROLL		DOUBLE HEART		SCROLL & LEAF		Name
Single	Corner	Type	Single	Corner	Single	Corner	Single	Corner	Single	Corner	Single	Corner	Type
33-N	33-NC	Number	47-J	47-JC	46-J	46-JC	49-J	49-JC	48-J	48-JC	41-J	41-JC	Number
9"	9"	Width	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	Width
8'0"	8'0"	Max. Height	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	Max. Height
6'10"	6'10"	Min. Height	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	Min. Height
22 lbs.	36 lbs.	Weight	28 lbs.	47 lbs.	26 lbs.	47 lbs.	30 lbs.	54 lbs.	34 lbs.	57 lbs.	25 lbs.	42 lbs.	Weight
2000 lbs.	6540 lbs.	*Load Bearing Capacity	2000 lbs.	6300 lbs.	2000 lbs.	6300 lbs.	2000 lbs.	6300 lbs.	2000 lbs.	6300 lbs.	2000 lbs.	6300 lbs.	Load Bearing Capacity *
\$16.70	\$29.10	Price	\$16.10	\$27.85	\$16.80	\$28.60	\$17.10	\$29.35	\$18.75	\$33.20	\$19.05	\$34.65	Price

**IMPORTANT:** Zinc Plating available at small added cost on all Wrought Iron Columns, Railings and Accessories; provides extra resistance to corrosion in areas of extreme salt water spray. Ask your dealer.

## BRACKETS

## VALANCE



Colonel Logan Wrought Iron Columns and Standard Railing add beauty and safety to homes in every price range. Note the ornaments which carry out the Medallion design of the columns. A complete line of matching railing ornaments shown on page 11.







# Colonel Logan EXQUISITE CAST IRON

All cast iron columns and accessories double face

\*Load bearing capacities of all columns have a safety factor of 2

9" WIDE



9" WIDE



9" WIDE



9" WIDE




Low cost Colonel Logan Ornamental Iron provides one of the easiest, most practical ways to add classic beauty and distinction to any home — modern or traditional.

Used by leading builders to create individuality in today's smartest new homes, these attractive designs are perfect for use in home improvement as well.

- Columns have adjustable base and standard fittings to simplify installation.
- Fully tested to exceed all load bearing requirements.
- PHOSPHATE CLEANING of all columns forms a tough paint bond for lasting adhesion; resists corrosion even if surface is scratched.
- LOGAN MINIARC WELD is smooth, clean, slag-free. No weld residue to chip off to mar finish paint or expose metal.

Name	PRIMROSE		CURLY OAK		GRAPE		ROSE	
Type	Single	Corner	Single	Corner	Single	Corner	Single	Corner
Number	44-N	44-NC	17-N	17-NC	42-N	42-NC	56-N	56-NC
Width	9"	9"	9"	9"	9"	9"	9"	9"
Max. Height	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Min. Height	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"
Weight	36 lbs.	61 lbs.	40 lbs.	69 lbs.	42 lbs.	77 lbs.	38 lbs.	50 lbs.
*Load Bearing Capacity	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.
Price	\$24.20	\$46.30	\$28.10	\$51.50	\$28.10	\$51.50	\$28.30	\$51.85

## CORNER BRACKETS





Number	S-44
Size	19 1/4" x 10 1/2"
Weight	6 lbs.
Price	\$4.55

Number	S-7
Size	11" x 11"
Weight	7 1/2 lbs.
Price	\$6.40

Number	S-42
Size	16 1/2" x 8 1/2"
Weight	4 1/2 lbs.
Price	\$4.55

Number	S-56
Size	15 1/2" x 10"
Weight	5 lbs.
Price	\$4.55

## VALANCES






Number	V-44
Size	20 1/4" x 4"
Weight	5 lbs.
Price	\$2.55

Number	V-17
Size	17 1/8" x 4 1/4"
Weight	5 lbs.
Price	\$2.10

Number	V-42
Size	20" x 3 1/2"
Weight	5 lbs.
Price	\$2.40

Number	V-56
Size	19 1/2" x 4 1/4"
Weight	3 lbs.
Price	\$2.95

## RAILING ORNAMENTS



Number	O-44
Size	6 3/4" x 21 1/2"
Weight	6 lbs.
Price	\$3.10


Number	O-17
Size	8 1/4" x 17"
Weight	8 1/2 lbs.
Price	\$3.30

Number	O-42
Size	6 3/4" x 18 3/4"
Weight	8 lbs.
Price	\$3.10

Number	O-56
Size	8 3/4" x 15 1/4"
Weight	5 lbs.
Price	\$3.95



# PORCH COLUMNS AND ACCESSORIES




**STANDARD  
SIZE**  
for ease of  
installation

\*Load bearing  
capacities  
of all columns  
have a safety  
factor of 2



GRAPE		CURLY OAK		ROSE		ORNATE CURVE	
Single	Corner	Single	Corner	Single	Corner	Single	Corner
52-J	52-JC	17-J	17-JC	56-J	56-JC	15-J	15-JC
12"	12"	12"	12"	12"	12"	12"	12"
8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"
44 lbs.	81 lbs.	41 lbs.	79 lbs.	51 lbs.	86 lbs.	52 lbs.	93 lbs.
2000 lbs.	6300 lbs.	2000 lbs.	6300 lbs.	2000 lbs.	6300 lbs.	2000 lbs.	6300 lbs.
\$30.40	\$55.95	\$30.95	\$57.55	\$31.45	\$58.10	\$33.30	\$62.25

Name  
Type  
Number  
Width  
Max. Height  
Min. Height  
Weight  
Load Bearing \*  
Capacity  
Price



**CORNER  
BRACKETS**

S-52	S-17	S-56	S-15
19 1/2" x 12"	19" x 19"	15 1/2" x 10"	22" x 11 1/4"
8 lbs.	15 lbs.	5 lbs.	10 lbs.
\$5.10	\$8.85	\$4.55	\$6.85

Number  
Size  
Weight  
Price



**VALANCES**

V-42	V-17	V-56	V-15
20" x 3 1/2"	17 1/2" x 4 1/4"	19 1/2" x 4 1/4"	19 1/2" x 5 1/4"
5 lbs.	3 lbs.	3 lbs.	6 lbs.
\$2.40	\$2.10	\$2.95	\$2.65

Number  
Size  
Weight  
Price



**RAILING  
ORNAMENTS**

O-42	O-17	O-56	O-15
6 3/4" x 18 3/4"	8 1/4" x 17"	8 3/8" x 15 1/4"	8" x 17 1/2"
8 lbs.	8 1/2 lbs.	5 lbs.	7 lbs.
\$3.10	\$3.30	\$3.95	\$3.10

Number  
Size  
Weight  
Price

## SPECIFICATIONS- CAST IRON COLUMNS

All Colonel Logan cast iron columns are 8'0" high, and 9" or 12" width as shown. All have 14" adjustable base. Ornamental cast designs are double face. Posts are 1" heavy gauge tubing. Brackets, valances and railing ornaments are double face cast iron. The entire Colonel Logan line is finished in a base of blue-gray primer.

See page 3 for installation details.

**NOTE:** Weights shown on all items are actual shipping weights.







*Colonel Logan*

## DELUXE CONTOUR RAILING

The advanced new railing with  
exclusive new design features  
no other railing can match

Colonel Logan Contour Railing is unquestionably America's most advanced new design in railings for porch, steps and interior use. Many exclusive features make it outstanding.

It features a graceful contour top handrail that compares to the finest custom made railing on the market. Smooth contour design has no protrusions of post or fittings.

Posts are 1" sq. tube with fittings formed to same contour lines as railing. Corner posts are designed with 90° curved fittings to permit post to set diagonally at corners to add a more graceful, more deluxe appearance. Pickets are ½" sq. solid steel rod.

Quality construction features also include Logan Miniarc Weld and phosphate cleaning. Painted one shop coat gray.




*Colonel Logan*

## SPECIAL HEIGHT COLUMNS

Colonel Logan, America's best known producer of Standard Size Ornamental Iron, features custom height columns up to 11'-0". Every column in the big Colonel Logan line, from economical wrought iron numbers to the most deluxe cast iron design, can be produced in non-standard sizes to fit YOUR specifications exactly. The only exception is the Tapered Twist column, (55-T and 55-TC) which is *not available in special height*.

Specify exact height needed when ordering, and indicate whether column is for surface installation or is to be set in concrete.



All Special Height Columns will be made with 3" space at bottom of columns unless otherwise specified.

Ask your dealer for prices on special height columns. He will help you plan your installation and advise you on design.

### DELUXE POSTS FOR EVERY INSTALLATION

Porch Rail Posts are 35" long over-all —  
with 3" allowance for installation in concrete.

No. P-11LT End Post (Lamb's Tongue) Wt. 4 lbs. \$4.00	No. P-22 Intermediate Post Wt. 3½ lbs. \$4.05	No. P-33 Corner Post Wt. 4 lbs. \$4.80	No. P-55 Upper Step Post Wt. 4 lbs. \$4.85	No. P-66 Left Corner Step Post Wt. 4 lbs. \$5.50	No. P-88 Right Corner Step Post Wt. 4 lbs. \$5.50

See  
details  
in Fig. 4  
and Fig. 5,  
page 9

### TOP RAIL FITTINGS



No. TSF-4  
Wt. 10 oz.  
\$1.10



No. TSF-6L  
Wt. 1½ lbs.  
\$1.50



No. TSF-8R  
Wt. 1½ lbs.  
\$1.50




No. TLS-1  
Wt. 8 oz.  
\$1.00

Use with Fittings No. T-1 and  
No. C-2T shown on Page 9

Use with Step Posts  
Nos. P-66, P-88, P-99

NOTE: Top and Bottom Rail Fittings designed to be used in conjunction with posts






## Check these deluxe features




**Graceful contour top hand rail**  
Roll-formed with a custom-designed feel of strength and quality. Full 2" wide, 7/8" deep.




**Die-formed lamb's tongue**  
Has pre-formed fittings that slide into contour railing sections; locks with hidden set screw on bottom fitting of post. See Fig. 4.




**Corner fitting curved 90°**  
Corner posts designed with 90° curved fittings. Posts set diagonally at corners to add a new look of distinction.



**Strong C-channel bottom construction**  
Adds rigid strength. Formed of sturdy steel 1/4" wide x 9/16" deep. Hidden set screw locks C-channel firmly in position on post fittings.



**Contour styled fittings**  
All fittings formed to same contour lines as railing. Fitting elements slip snugly into railing sections to leave a smooth, unbroken line of beauty and style.




## WALL AND END FITTINGS




No. T-1  
Top Wall  
Fitting  
Wt. 2 oz.  
\$0.40



No. B-2  
Bottom Wall  
Fitting  
Wt. 1 oz.  
\$0.30



No. C-2T  
Top Column  
Fitting  
Wt. 3 oz.  
\$0.45



No. DS-8  
Rail Support  
Wt. 8 oz.  
\$1.50

## Porch Rail — Plain Picket — 32" Ht.

No.	Ht.	Lgth.	Wt.	Price
D-48P	2'-5"	4'-0"	24 lbs.	11.45
D-60P	2'-5"	5'-0"	30 lbs.	14.30
D-72P	2'-5"	6'-0"	36 lbs.	17.10

## Porch Rail — Alternate Twist Picket — 32" Ht.

No.	Ht.	Lgth.	Wt.	Price
D-48PT	2'-5"	4'-0"	24 lbs.	12.20
D-60PT	2'-5"	5'-0"	30 lbs.	15.25
D-72PT	2'-5"	6'-0"	36 lbs.	17.70

## Step Rail — Plain Picket — 32" Ht.

No.	Ht.	Lgth.	Wt.	Price
D-48S	2'-5"	4'-0"	22 lbs.	12.65
D-60S	2'-5"	5'-0"	28 lbs.	15.75
D-72S	2'-5"	6'-0"	34 lbs.	18.80

## Step Rail — Alternate Twist Picket — 32" Ht.


No.	Ht.	Lgth.	Wt.	Price
D-48ST	2'-5"	4'-0"	22 lbs.	13.95
D-60ST	2'-5"	5'-0"	28 lbs.	17.35
D-72ST	2'-5"	6'-0"	34 lbs.	20.65

For extra weather protection, Colonel Logan Deluxe Contour Railing is available in Zinc plating at slight extra cost.


## BOTTOM RAIL FITTINGS



No. BSF-4  
Wt. 1/2 lb.  
\$0.85



No. BSF-6L  
Wt. 1 lb.  
\$1.20



No. BSF-8R  
Wt. 1 lb.  
\$1.20



No. BLS-2  
Wt. 1/2 lb.  
\$0.80

Use with Fitting No. B-2

Use with Step Posts  
Nos. P-66, P-88, P-99



Typical installation of return using Top Rail Fitting TSF-6L.





# Colonel Logan STANDARD SIZE PORCH AND STEP RAILINGS

the sturdy appearance and quality features of finest custom-made railings



Colonel Logan Porch and Step Railings are available zinc plated for protection against salt spray.




All Colonel Logan Porch and Step Railings are phosphate cleaned for lasting resistance to corrosion.

## STEP RAILING

Installed Height 32"

Colonel Logan Porch and Step Railings are also available in 42" height for commercial installations (see page 13).



ALTERNATE TWIST

## PORCH RAILING — ALTERNATE TWIST

No.	Ht.	Lg.	Wt.	Price
6-PT	2'5"	6'0"	38 lbs.	\$15.25
10-PT	2'5"	10'0"	62 lbs.	\$23.90

## PORCH RAILING — PLAIN PICKET


No.	Ht.	Lg.	Wt.	Price
6-P	2'5"	6'0"	38 lbs.	\$14.05
10-P	2'5"	10'0"	62 lbs.	\$22.70

## STEP RAILING — ALTERNATE TWIST

No.	Ht.	Lg.	Wt.	Price
6-ST	2'5"	6'0"	33 lbs.	\$16.95
10-ST	2'5"	10'0"	56 lbs.	\$26.25

## STEP RAILING — PLAIN PICKET

No.	Ht.	Lg.	Wt.	Price
6-S	2'5"	6'0"	33 lbs.	\$15.50
10-S	2'5"	10'0"	56 lbs.	\$25.05



PLAIN PICKET

Porch Railings are cut to required length on the job. Top channel 1" x 1/2". Pickets 1/2" square iron welded to channels on 5" centers. Height adjustment for surface installation made by cutting off bottom of posts with a hacksaw.

32" STANDARD RAILING. Recommended installed height 32" from floor. Rail height from bottom of channel to top is 2'-5". All railing posts are 1" square heavy gauge steel

tubing 2'-11" long except bottom end posts Nos. 7 and 7LT and Intermediate Step Post No. 9 which are necessarily longer.

Colonel Logan Step Rails are pre-pitched to comply with basic step construction. Adjustable; can be racked to fit most step rail installations.

All items are finished one shop coat blue gray. Need only one finish coat of paint.



To adjust for step angle, push or pull as illustrated.


## WALL END FITTINGS




No. 4  
For Porch Rails.  
Two needed.  
Wt. 2 oz.  
\$0.45 ea.



No. 4-S  
For Step Rails.  
Two needed.  
Wt. 6 oz.  
\$0.85 ea.



No. L-6  
For Step Rails.  
Two needed.  
Wt. 13 oz.  
\$1.20 ea.



No. R-8  
For Step Rails.  
Two needed.  
Wt. 13 oz.  
\$1.20 ea.

No. L-6 and No. R-8 fittings are used at the top of steps to attach step railing to side of wall or column when post is not used.

## UPPER END FITTINGS



No. BP-1  
BASE PLATE  
For any surface  
installation.  
Wt. 13 oz.  
\$1.10 ea.



No. CS-2  
SLIP SHOE  
A cast iron  
cover shoe.  
Use for added  
decoration on post  
set in concrete.  
Wt. 7 oz.  
\$0.40 ea.



No. CA-1  
BASE PLATE  
For surface  
installation of  
SP-8 Rail Support.  
Wt. 2 oz.  
\$0.65 ea.

## BASE PLATES



No. SP-8  
RAIL SUPPORT  
Can use in place  
of No. 2 post for  
added support.  
Can mount with  
CA-1 Base Plate.  
1/2" square iron.  
Ht. 8". Wt. 8 oz.  
\$1.50 ea.



No. RB-2  
RAIL BRACE  
Adds rigidity, fas-  
tens to post and  
floor. 3 holes for  
installing. 1/4" x  
1" flat. Height  
1'9". Width 4".  
Wt. 2 lbs.  
\$1.50





# Colonel Logan STANDARD SIZE RAILING POSTS

## For Porch Railings

## For Combination Porch and Step Rail

## For Step Railings



No. 1-LT  
(Lambs Tongue)  
End Post  
Wt. 3 lbs.  
\$3.10

No. 1  
End Post  
Wt. 3 lbs.  
\$2.65

No. 2  
Intermediate Post  
Wt. 3 lbs.  
\$2.90

No. 3  
Corner Post  
Wt. 3 lbs.  
\$3.45

No. 5  
Upper Post  
Wt. 3 lbs.  
\$3.30

No. 6  
Left Corner Post  
Wt. 3 1/2 lbs.  
\$4.00

No. 8  
Right Corner Post  
Wt. 3 1/2 lbs.  
\$4.00

No. 7C1  
Lower End Step Post  
Wt. 4 lbs.  
\$3.55

No. 5-A-LT  
(Lambs Tongue)  
Upper End Post  
Wt. 3 1/2 lbs.  
\$3.55

No. 5-A  
Upper End Post  
Wt. 3 lbs.  
\$3.05


No. 9  
Intermediate Post  
Wt. 3 lbs.  
\$3.85

No. 7  
Lower End Post  
Wt. 3 lbs.  
\$2.90

No. 7-LT  
(Lambs Tongue)  
Lower End Post  
Wt. 3 1/2 lbs.  
\$3.40

Porch Rail Posts are 35" long over-all — with 3" allowance for installation in concrete.

## RAILING ORNAMENTS



TO APPLY WROUGHT IRON ORNAMENTS except 0-41. Secure with set screws to plain pickets. Cannot be used with economy railing.

Number  
Material  
Size  
Weight  
Price

"S"  
3/16" x 1/2" flat  
6" x 7"  
1 lb.  
\$1.10

"D"  
3/16" x 1/2" flat  
7" x 10"  
1 lb.  
\$1.80

0-26  
3/16" x 1/2" flat  
8" x 11"  
1 lb.  
\$1.85


0-48  
3/16" x 1/2" flat  
7 1/2" x 22"  
2 lbs.  
\$2.20

0-46  
3/16" x 1/2" flat  
7" x 24 3/4"  
2 lbs.  
\$2.40

LS  
3/16" x 1/2" flat  
9" x 18 1/2"  
2 lbs.  
\$2.95

LD  
3/16" x 1/2" flat  
8 3/4" x 22 3/4"  
2 lbs.  
\$2.95

## RAILING ORNAMENTS



TO APPLY CAST IRON ORNAMENTS and 0-41, drill hole through ornament and plain picket, secure with bolt (bolts not furnished) or weld. Cannot be used with economy railing.

Number  
Material  
Size  
Weight  
Price

0-41  
3/8" round  
9" x 18 1/4"  
2 1/2 lbs.  
\$3.10

0-S  
3/16" x 1/2" flat  
8 1/4" x 18 1/2"  
2 lbs.  
\$3.25

0-44  
Double face cast iron  
6 3/4" x 21 1/2"  
6 lbs.  
\$3.10

0-15  
Double face cast iron  
8" x 17 1/2"  
7 lbs.  
\$3.10

0-42  
Double face cast iron  
6 3/4" x 18 3/4"  
8 lbs.  
\$3.10

0-17  
Double face cast iron  
8 1/4" x 17"  
8 1/2 lbs.  
\$3.30

0-56  
Double face cast iron  
8 3/8" x 15 1/4"  
5 lbs.  
\$3.95

NOTE:  
Weights shown on all items are actual shipping weights




BALL  
Cast with threaded stud bolt  
2 3/4" high  
1 lb.  
\$0.95  
(add to post price)




URN  
Cast with threaded stud bolt  
3 3/4" high  
10 oz.  
\$0.95  
(add to post price)

NOTE:  
When ordering Posts with Ball or Urn add "B" for Ball, "U" for URN in front of Post numbers. Can be ordered separately.




01  
3/16" x 1" flat  
6" x 2'3"  
3 lbs.  
\$2.15  
Two holes provided for installing.



02  
3/16" x 1" flat  
9" x 2'9"  
5 lbs.  
\$2.80  
Two holes provided for installing.

Colonel Logan Railings are Miniarc welded and phosphate cleaned for extra resistance to corrosion, and tough paint bond for lasting adhesion and durability.

## IMPORTANT DETAILS AND FEATURES OF Colonel Logan RAILINGS



Detail of top channel of step railing



Detail of top channel of porch railing




Easily fitted to posts with set screw




Cut on job site



Move step post fitting for slight adjustment




1" posts surface mounted with BP-1 Base Plate



Posts for 32" installed rail set in concrete



SP-8 Rail Support set in concrete



Posts are drilled and tapped to accommodate Ball and Urn when specified







# Colonel Logan IRON GRIP RAIL

PAT. NO. 3161425

Low cost—easy to install, for  
**SAFETY** on every stairway


- Bonderized to resist rust; baked-on primer coat
- For interior or exterior installation
- Costs up to  $\frac{2}{3}$  less than custom-made iron grip rail
- No welding, no special finishing; costs less to install than wood rail

What an attractive **LOW COST** way to make every stairway safe—inside or out. Used in homes, apartment buildings, hotel, motel, commercial buildings and institutions. Standard lengths—4', 8', 12', 16', 20'—can be cut to assure perfect fit on every wall. **IMPORTANT FEATURE:** Tapered Post permits installation to extend beyond stair wall when necessary.

	No.	Length	Weight	Price ea.
<b>GRIP RAIL LENGTHS</b>	GR-4	4'	3 lbs.	\$ 2.95
	GR-8	8'	6 lbs.	4.75
	GR-12	12'	9 lbs.	6.05
	GR-16	16'	13 lbs.	8.10
	GR-20	20'	16 lbs.	10.10



**GR-C2**  
Slip Fit End Cap.  
Two furnished no charge with each rail section.  
Additional End Caps:  
Wt. 1 oz.  
\$0.20



**GR-U4**  
Assembly for post  
Wt. 2 oz.  
\$0.55 ea.



**GR-B1**  
Bracket assembly  
Wt. 8 oz.  
\$0.90 ea.




**GR-P3 Post** (Adjustable base plate included in price. Assembly for post priced separately.) Ht. 32". Wt. 3 lbs.  
\$5.40



## NEW GRIP RAIL RETURN SECTION

For attaching Grip Rail to wall. Makes a neater installation and adds extra safety to meet Municipal Code Requirements where hand rail returns are specified.


Specify right or left return.  
**GR-WR** — Right return  
**GR-WL** — Left return  
Wt. 10 oz. \$2.05  
Right return pictured above.



## EXCLUSIVE MOUNTING BRACKET

PAT. NO. 3161425

For fast, easy installation on any type of wall. Features U-Clip Assembly that slides in hidden channel to fit any stud or bracket spacing, swivels to fit any stair pitch. Locks rigidly in position. Slip fit end caps eliminate costly end finishing. This is the most versatile, simplified and practical mounting system of any grip rail—and only Colonel Logan has it!



# Colonel Logan ECONOMY RAIL

for low budget installations



**No. EC-S Economy Scroll Ornament**  
Use to create many pleasing effects as shown. Pre-drilled for easy attachment.  
12" long x  $3\frac{1}{4}$ " width.  
Wt. 12 oz.  
\$0.65 ea.



**No. EC-16 Angle Clip**  
Easy to bend for step installation. Two or four needed for each post. Bolts furnished. Purchase in any quantity or in bags of 4. (When ordering specify number of bags or single clips desired.)  
Single Clip Wt. 2 oz. \$0.25  
Bag of 4 Wt. 7 oz. \$0.85



**No. EC-12 Post**  
Wt. 3 lbs.  
Ht. 35 $\frac{3}{4}$ "  
\$1.70 each



Easy to adjust for step angle




**No. EC-18 Support**  
Install as shown or inverted under center of railing for extra strength  $\frac{1}{16}$ " x  $\frac{1}{2}$ " flat.  
Wt. 3 oz.  
\$0.65 each



**No. BP-1 Base Plate**  
For any surface installation  
Wt. 13 oz.  
\$1.10 each



**No. CS-2 Slip Shoe**  
For added decoration when post is set in concrete  
Wt. 7 oz.  
\$0.40 each




**No. EC-LT Lambs Tongue Ornament**  
For end posts.  
Wt. 7 oz.  
\$0.80 each

Here's the best of the low priced railings for porch or steps. Improved construction for durable service. Top and bottom channels are 1" x  $\frac{1}{2}$ ". Available in 4', 5' and 6' lengths. Height of rail, 2'5", or 2'8" when installed. Posts are square 1" steel tubing, 35 $\frac{3}{4}$ " high with pyramid shaped top. Installed height is 32". Posts are drilled to receive bolts on any side for securing railing with clips.

Installation instructions furnished. Colonel Logan gray base coat is best for applying finish paint.

No.	Length	Weight	Price ea.
EC-4	4'	13 lbs.	\$6.00
EC-5	5'	16 lbs.	7.45
EC-6	6'	20 lbs.	8.95






*Colonel Logan*

## COMMERCIAL RAILING

Colonel Logan Commercial Railing is 42 inches high installed as shown, a full 10 inches higher than standard railings. This makes it high enough to meet most Municipal Building Code requirements.

Standard 10-ft. and 6-ft. lengths quickly fasten to posts and walls with setscrew fittings. Adjustable step rail pre-pitched to comply with basic step construction. Can be racked to fit most step rail installations. Except for height, material specifications are the same as for Colonel Logan 32" ht. Standard Railings. Standard ornaments and fittings apply. Finished one coat blue-gray primer.

INSTALLED  
HEIGHT 42"



Nearly 12,000 ft. of Colonel Logan Commercial Railing adds beauty and safety to balconies and roof deck of luxurious Chevy Chase Plaza Apartments, Kensington, Md.

POSTS FOR COMMERCIAL RAILINGS — 10" longer than Posts for Standard Railings.

No. AH-1-LT (Lamb Tongue) End Post Wt. 5 lbs. \$3.60	No. AH-1 End Post Wt. 5 lbs. \$3.15	No. AH-2 Intermediate Post Wt. 5 lbs. \$3.40	No. AH-3 Corner Post Wt. 5 lbs. \$3.90	No. AH-5 Upper Post Wt. 5 lbs. \$3.80	No. AH-5-A Upper End Post Wt. 5 lbs. \$3.55
No. AH-5-ALT (Lamb Tongue) Upper End Post Wt. 5 lbs. \$4.05	No. AH-6 Left Corner Post Wt. 5 lbs. \$4.50	No. AH-7 Lower End Post Wt. 5 lbs. \$3.40	No. AH-7-LT (Lamb Tongue) Lower End Post Wt. 5 lbs. \$3.85	No. AH-8 Right Corner Post Wt. 5 lbs. \$4.50	No. AH-9 Intermediate Post Wt. 5 lbs. \$4.35

### Step Rail — Plain Picket — 42" Ht.

No.	Ht.	Lgth.	Wt.	Price
AH-6-S	3'1"	6'0"	40 lbs.	\$19.40
AH-10-S	3'1"	10'0"	66 lbs.	\$31.25

### Step Rail — Alternate Twist — 42" Ht.

No.	Ht.	Lgth.	Wt.	Price
AH-6-ST	3'1"	6'0"	40 lbs.	\$20.60
AH-10-ST	3'1"	10'0"	66 lbs.	\$32.45

### Porch Rail — Plain Picket — 42" Ht.

No.	Ht.	Lgth.	Wt.	Price
AH-6-P	3'1"	6'0"	45 lbs.	\$17.45
AH-10-P	3'1"	10'0"	75 lbs.	\$28.15

### Porch Rail — Alternate Twist — 42" Ht.

No.	Ht.	Lgth.	Wt.	Price
AH-6-PT	3'1"	6'0"	45 lbs.	\$18.65
AH-10-PT	3'1"	10'0"	75 lbs.	\$29.35

Railings, Posts and Wrought Iron Ornaments available at small extra cost in zinc plating for protection against extreme weather and salt spray condition. Ask your dealer.






# Colonel Logan Porch and Step Railing—easy to install


## STANDARD RAILING

Stock Size railing parts; railings available in 6' and 10' lengths.



## DELUXE CONTOUR RAILING

Stock Size railing parts; railings available in 4', 5' and 6' lengths.





### THE FIRST 4 STEPS ARE IDENTICAL FOR BOTH STANDARD AND CONTOUR RAILING

Just follow these easy step-by-step instructions, and you will have a sturdy, attractive railing installation you'll be proud of.




Step Railing is pre-pitched to fit most standard step construction. To adjust, place both feet on lower rail channel, and push or pull as needed. NOTE: Do not scissor the railing back and forth.

#### Typical Arrangements




**STEP 1**—Mark location for both porch and step rail posts. Be sure to set in at least 3" from edge to center of post to eliminate damage to concrete.


See typical arrangement diagrams at left.



**STEP 2**—Drill holes approximately 3" deep and about 1/8" larger all around than post size, with 1 1/4" star drill or carbon tipped masonry drill. This assures sturdy installation in concrete, stone or brick. (Base plates available for surface mounting).




**STEP 3**—Cut post to desired length; allow for levelling of railing in cases where holes are not exactly the same depth. Recommended installed height of railing is 32" from floor line.



**STEP 4**—Mark correct length by placing railing between posts, between column and post, or between house and post. After carefully checking length for accuracy, cut railing channels with hacksaw. *On Contour Rail, be sure to allow for fitting at top and bottom of posts.*


#### On Standard Rail




**STEP 5**—After cutting railing to proper length, slip railing sections into post fittings. Tighten set screws.

NOTE: Be sure to check all measurements carefully for accuracy before cutting with hacksaw.

#### On Deluxe Contour Rail Installation




**STEP 5**—(a) To attach rail to post, align inserts on post fitting against opening on end of contour top rail. Tap post lightly below fitting with hammer or rubber mallet forcing inserts into rail opening. Top inserts will then align bottom fitting of post into bottom rail channel. For



secure fit, tighten set screw on under-side of bottom post fitting with allen wrench.

(b) Step post fittings may be adjusted to same pitch as step rail by tapping fitting up or down with hammer lightly. Attach Rail to post same as step (a).

#### Finally—on both types



**STEP 6**—Assemble rail and all posts. After rail is assembled and all fittings are tight, place in post holes, and plumb. Secure posts with lead or fast setting cement.

#### On Contour Rail

If desired, liquid metal or solder may be used at all connection lines.



Standard and Contour Railings are available in plain picket and alternate twist picket styles.





NOTE: Ornament shown is optional; not included in price of Window Guard.

**Construction**—Horizontal cross sections constructed of heavy  $1\frac{1}{4}'' \times \frac{3}{8}''$  steel "C" channel. Sliding  $1'' \times \frac{3}{8}''$  channel inserted inside permits adjustment to 4 ft. width. May be locked securely from inside by tightening recessed screw provided.

**Standard Ornaments**  
add graceful beauty




Pre-drilled. Attach to guard by drilling holes in picket and using screws provided. Two sizes available to fit 15" and 20" size Window Guard.

SGO-15 For SG-235 and SG-345 \$1.10  
SGO-20 For SG-230 and SG-340 1.85

**Tamper-proof**  
Cadmium-plated, non-reversible screws and wall plugs hold guard securely in place. Can't be removed from outside.

**Easily Adjustable**  
Two basic widths fit windows from 2' to 4' wide. Easy to measure for perfect fit. Recessed screws may be loosened from inside only.

**Dual-Purpose Brackets**  
Can be installed on the outside of frame or within frame under upper sash. Install on wood, aluminum or masonry.



Graceful beauty plus tamper-proof security on easily accessible windows of homes or apartments



# Stan Gard


## STEEL WINDOW GUARDS

- Low cost, standard sizes assure maximum economy
- Can be installed easily, quickly; no special tools required
- Adjustable length; two basic widths fit window openings up to 4' wide
- Tamper-proof installation with non-reversible screws
- No interference with use of screens or storm sash

Don't worry about the rising crime rate and the wave of break-ins sweeping the country today. Feel safe — secure — when you install strong, tamper-proof steel Stan-Gard Window Guards at every window where easy entry is an invitation to intruders. With Stan-Gard there is never a problem of an unlocked window to provide access into your home. Put Stan-Gards on — and feel *safe!* Tamper-proof brackets prevent removal by anyone standing outside the house. Yet anyone can remove them easily from inside the house — a convenience for window washing days. Finished in durable black. Four adjustable sizes.



Stock No.	Adjustment Sizes for Window Openings	Over-all Height	Weight	List Price Each
#SG-235	2'-0" to 3'-0"	15"	8 lbs.	\$ 9.40
#SG-230	2'-0" to 3'-0"	20"	9 lbs.	10.25
#SG-345	3'-0" to 4'-0"	15"	10 lbs.	11.85
#SG-340	3'-0" to 4'-0"	20"	11 lbs.	12.55




## Colonel Logan ENTRANCE RAIL

Designed exclusively for entrance ways. Ready to put up, completely fabricated. Lengths 32", 38", 44" and 50". Height installed: 32". Pickets  $\frac{1}{2}''$  sq. solid steel; posts 1" sq. steel tubing. Finished in blue-gray base coat.

	No.	Length	Weight	Price each Single rail
PLAIN PICKET	E-32	32"	18 lbs.	\$ 8.90
	E-38	38"	19 lbs.	9.40
	E-44	44"	24 lbs.	11.00
	E-50	50"	25 lbs.	11.50
ALTERNATE TWIST	E-32-T	32"	18 lbs.	\$ 9.50
	E-38-T	38"	19 lbs.	10.15
	E-44-T	44"	24 lbs.	12.00
	E-50-T	50"	25 lbs.	12.40

IMPORTANT: Order Entrance Railings at least 3" less than length of porch. Order two rails if pair is needed.




## Colonel Logan ROOM DIVIDER

Standard Size

Smart new decorator touch used by many leading interior designers. Column height 8'2"; adjustable base. Railing installed ht. 38" — includes  $7\frac{1}{8}''$  adjustment at bottom. Length of rail 4'; column width 12"; over-all lengths from wall 5'. Base plates and slip shoes furnished. Finished one coat blue-gray. Shipped knock-down.



No. RDCR-49  
Wt. 60 lbs.  
\$36.45



## Colonel Logan GATE ASSEMBLY

Standard Size

2 Heights . . . for Colonel Logan Standard and Commercial Railing

The three parts shown here, plus stock railing posts and stock railing section cut to desired length, make up a complete gate. Railing section secures to Hinge section and Latch section with set screws. Finished blue gray base coat.

No. SGA-1-32" Wt. 10½ lbs. \$11.45  
No. SGA-1-42" Wt. 12½ lbs. \$12.85


NOTE: Railings and posts not furnished with gate assembly.





## Colonel Logan STANDARD SIZE ORNAMENTAL IRON SHUTTERS

What a beautiful and thrifty way to add distinction to windows, and make your home stand out with true individuality. Standard sizes fit almost all windows. Available in four heights, four popular designs that match Colonel Logan Ornamental Iron columns. Finished in blue gray base paint.



15-JS

17-JS

52-JS



41-JS & 41-NS



Number	15-JS-39	17-JS-39	52-JS-39	41-JS-39	41-NS-39
Size	12" x 39"	12" x 39"	12" x 39"	12" x 39"	9" x 39"
Wt. (approx.)	22 lbs.	23 lbs.	19 lbs.	10 lbs.	9 lbs.
Price each	\$17.20	\$17.10	\$16.55	\$10.75	\$9.10
Number	15-JS-47	17-JS-47	52-JS-47	41-JS-47	41-NS-47
Size	12" x 47"	12" x 47"	12" x 47"	12" x 47"	9" x 47"
Wt. (approx.)	27 lbs.	27 lbs.	23 lbs.	12 lbs.	11 lbs.
Price each	\$21.15	\$20.55	\$19.85	\$11.35	\$9.60
Number	15-JS-51	17-JS-51	52-JS-51	41-JS-51	41-NS-51
Size	12" x 51"	12" x 51"	12" x 51"	12" x 51"	9" x 51"
Wt. (approx.)	29 lbs.	31 lbs.	25 lbs.	13 lbs.	12 lbs.
Price each	\$21.65	\$20.65	\$20.25	\$12.45	\$10.55
Number	15-JS-55	17-JS-55	52-JS-55	41-JS-55	41-NS-55
Size	12" x 55"	12" x 55"	12" x 55"	12" x 55"	9" x 55"
Wt. (approx.)	31 lbs.	33 lbs.	27 lbs.	14 lbs.	13 lbs.
Price each	\$22.05	\$21.50	\$21.05	\$13.05	\$11.05

SHUTTER PRICED PER UNIT — NOT PAIRS

**SPECIAL HEIGHT SHUTTERS** — Custom made sizes available up to 82" height in both 9" and 12" widths to match Colonel Logan columns. See your dealer or write for full information.



Colonel Logan Ornamental Iron Columns with matching Mail Box Stands make a perfect tie-in for decorative beauty.

## Colonel Logan MAIL BOX STANDS

Four smart styles — meet Post Office specifications

Posts match Colonel Logan Ornamental Iron Columns. Heavy 1 in. sq. tubing. Over-all height 4 ft. 6 in.; Height installed 3 ft. 6 in. Over-all width of Nos. MB-41, MB-17, MB-49 is 9 in., No. MB-S4 is 16 in. Top attachment plate drilled to fit standard mailboxes (mailbox not included). Install in concrete 1 ft. below ground. Finished in blue-gray primer coat.



No. MB-17  
Curly Oak  
Wt. 22 lbs.  
\$13.55

No. MB-41  
Scroll and  
Leaf  
Wt. 12 lbs.  
\$10.00

No. MB-49  
Double  
Scroll  
Wt. 10 lbs.  
\$7.50

No. MB-S4  
Scroll  
Wt. 5½ lbs.  
\$4.05

All prices and specifications subject to change without notice.



Colonel Logan  
Ornamental Iron  
LOGAN CO.  
200 Cabel St.  
Louisville, Ky. 40206

BUFFALO WHOLESALE SUPPLY CO., INC.  
19 SCOTT ST.  
BUFFALO 3, N. Y.

Litho in U.S.A.